OPTICAL TOOLS 2018

ADJUSTMENT PLIERS

Flat Nylon/Round Metal Pliers

- •For semi-rimless cord suspension and general adjustments
- •10mm protected, non-scratching jaw cover and round metal blade tapered to 2mm

Part No	Descriptions	
2008002	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	

Wide Jaw Angling Pliers

- Forms the curvature of metal eyewires into conformance with the curvature of a lens
- Non-Marking, replaceable nylon jaws

Part No	Descriptions	
2008049	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	

Finger piece pliers

- For gripping endpieces when adjusting pantoscopic angle on metal frames
- Parallel jaws have recesses to accommodate for screws

Part No	Descriptions	
2008094	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	132MM 100 g Stainless steel Dull mate Cushion Grip handle





OPTICAL TOOLS 2018

Gripping pliers

Double Nylon jaw pliers 10 mm

- Holds plastic or metal frames without marking
- 10mm non-marring, replace able nylon pad on each jaw

Part No	Descriptions	
2008004	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



Double nylon jaw pliers 8mm

- Same as above with narrower jaw (pad width is 7.5mm)
- Perfect for tight spots

Part No	Descriptions	
2008005	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



Gripping Pliers

- Holds plastic or metal frames while working with another pliers
- Great endpiece adjusting pliers
- One jaw isflat, non-marring, replaceable nylon, 10mm width
- Other jaw is flat, metal tapered to 2mm for tight areas
- Parallel at 5mm

Part No Descriptions

2008095 Length: approx. 132MM Weight: approx. 100 g

Material: Stainless steel
Finish: Dull mate
Handle: Cushion Grip handle

Movement:



OPTICAL TOOLS 2018

Screw And Extractor Pliers

Peening Pliers

- Flares out ends of screws and rivets on frames
- Stops loose temple & hinge screws
- Widejaw design gets around bulky temples

Part No	Descriptions	
2008096	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	




Lens sizing Angled Pliers

Features: A unique angled head design for comfort. Rounded jaw tips that don't bottom out in the closing barrel s during lenssizing.

Usage: Eyewire closing for lens sizing.


Part No	Descriptions	
2008097	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



Screw Riveting Pliers

A quick and easy way to flare the end of a hinge screw to keep it from coming out of the hinge. A sturdy sharp point flares the end of the screw while the hole on the opposite jaw protects the screw head. Prevents lost screws and eliminates patient and dispenser inconvenience.

Part No	Descriptions	
2008098	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



OPTICAL TOOLS 2018

Address:

Haji Pura

Pakistan.

Daska Road.

Sialkot 51310

Screw And Extractor Pliers

Rivet Flaring Pliers

Rivet flaring pliers

Part No Descriptions

2008099 Length: approx. 132MM Weight: approx. 100 g

Material: Stainless steel
Finish: Dull mate
Handle: Cushion Grip handle

Movement:



OPTICAL TOOLS 2018

Nose Pad Pad Arm Pliers

Combo pad ar nose pad adjusting pliers

Nose pad and nose pad arm adjusting tool all in a single plier. Specially designed jaws safely grab and adjust the nose pad and box. The unique jaw tips securely pinch the interior and the exterior of the pad arm to adjust its curvature

Part No	Descriptions	
2008001	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



Nose pad popping pliers

For removal of push -push in type nose pads - .

Part No	Descriptions	
2008010	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



Euro Nose Pad Adjusting Pliers

For screw-in nose pads. Improved, a more delicate version to avoid touching the lens during fitting.

Part No	Descriptions	
2008021	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



OPTICAL TOOLS 2018

Address:

Haji Pura

Pakistan.

Daska Road.

Sialkot 51310

Nose Pad Pad Arm Pliers

Push in Nose Pad Adjusting Plier

Especially for fitting push-in nose pads. Very delicate version to avoid touching the lens during fitting.

Part No	Descriptions	
2008022	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



OPTICAL TOOLS 2018

Snip Chain Nose Pliers

Curved Long Nose Chain Pliers

A classic general-purpose plier with curved jaws that taper to a fine point. Ideal for gripping in hard to reach areas.


Part No	Descriptions	
2008006	Length: approx.	
	Weight: approx.	
	Material:	Stainless steel
	Finish:	Dull mate
	Handle:	Cushion Grip handle
	Movement:	



Flat snip nose pliers extra long

Flat inner jaws. Extra long and thin version.


Part No	Descriptions	
2008011	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



Flat snip nose pliers

Semi circular- jaws

Part No	Descriptions	
2008088	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



OPTICAL TOOLS 2018

Address:

Haji Pura

Pakistan.

Daska Road.

Sialkot 51310

Snip Chain Nose Pliers

Flat Snipe Nose Pliers 3mm

Flat Nose Pliers 3 mm

3 mm width at tip.

Part No

Descriptions

Length: approx. 132MM
Weight: approx. 100 g
Material: Stainless steel
Finish: Dull mate
Handle: Cushion Grip handle

Movement:



OPTICAL TOOLS 2018

Lens pliers

Lens alinger 20mm

With two Ø 20 mm discs.

Spring mechanism on the handle. Especially for small frames.

Part No	Descriptions	
2008012	Length: approx. Weight: approx. Material: Finish: Handle:	
	Movement:	



Chipping Pliers

- Designed to chip away excess lens or blank material
- Serrated gripping jaw for strong holding power

Part No	Descriptions	
2008013	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



Size testing extra wide pliers

Features an arrow/tapered jaw for better access on the latest fashion frames

• Angled tips prevent damage to screw barrels Extra wide jaw .

Part No	Descriptions	
2008014	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



OPTICAL TOOLS 2018

Address:

Haji Pura

Pakistan.

Daska Road.

Sialkot 51310

Lens pliers

Size testing pliers

- Features a narrow/tapered jaw for better access on the latest fashion frames
- Angled tips prevent damage to screw barrels

Part No	Descriptions	
2008090	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



OPTICAL TOOLS 2018

Forming pliers

Nylon Eyewir Shaper Plier 24mm


- Forms the curvature of metal eyewires into conformance with the curvature of a lens
- Non-Marking, replaceable nylon jaws

Part No	Descriptions	
2008003	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



Trident pliers

For precise and easy adjustment of clip-on bridges.





Trident pliers small

For precise and easy adjustment of clip-on bridges.

Part No	Descriptions	
2008016	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



OPTICAL TOOLS 2018

Address:

Haji Pura

Pakistan.

Daska Road.

Sialkot 51310

Forming pliers

Bending Pliers with 3 rolls

For various purposes: to adjust spectacles, bridges, temples and temple tips.

Part No	Descriptions	
2008026	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



Nose pad arm bending Pliers

Put the curve back into bent pad arms in one squeeze.

The top jaw is concave and the opposing jaw is tapered to fit inside.

Pressing the pad arm between the pre-formed jaws quickly creates the proper pad arm curve.

Part No	Descriptions	
2008027	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



OPTICAL TOOLS 2018

Cutting Pliers

End cutter

- Cuts nickel-silver screws and rivets
- Note: does not cut stainless steel


Part No	Descriptions	
2008017	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



HD End cutter tungsten carbide

- Industrial strength cutting pliers. Tungsten carbide edge.
- Extended handles for added strength and cutting power
- Excellent for cutting core wires and heavy nickel-silver screws

Part No	Descriptions		
2008017	Length: approx.	175MM	
	Weight: approx.	200 g	
	Material:	Stainless steel	
	Finish:	Dull mate	
	Handle:	Cushion Grip handle	



Screw Cutter

Movement:

- Trim screw assemblies quickly and cleanly
- Cuts stainless steel screws upto 1.4mm

Part No	Descriptions	
2008020	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



OPTICAL TOOLS 2018

Cutting Pliers

Side Cutter

- Cuts nickel-silver screws and rivets
- Design allows flush cuts in tight areas
- Note: does not cut stainless steel

Part No	Descriptions	
2008044	Length: approx. Weight: approx.	132MM 100 g
	Material:	Stainless steel
	Finish:	Dull mate
	Handle:	Cushion Grip handle
	Movement:	



Oblique head end cutter

- Cuts nickel-silver screws and rivets
- Design allows flush cuts in tight areas
- Note: Does not cut stainless steel


Part No	Descriptions	
2008047	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



Stelzer Diagonal Cutter

With inserted hard metal cutting blades for steel wires up to 2.0 mm.

Part No	Descriptions	
2008071	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



OPTICAL TOOLS 2018

Cutting Pliers

Side cutter tungston carbide pliers

- Cuts hard screws & temples upto 1.6mm
- Boxjoint

Part No	Descriptions	
2008081	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



Angled oblique head end cutter

- Cuts nickel-silver screws and rivets
- Design allows flush cuts in tight areas
- Note: Does not cut stainless steel

Part No	Descriptions	
2008083	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	




Side cutter double joint

Carbide Side Cutting Pliers

- Cuts hard screws & temples upto 1.6mm
- Double lap hinge construction
- 1 yearwarranty

Part No	Descriptions	
2008018	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	




OPTICAL TOOLS 2018

Cutting Pliers

End cutter double joint

- Cuts hard screws & temples upto 1.6mm
- Double lap hinge construction
- 1 yearwarranty

Part No	Descriptions	
2008019	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



OPTICAL TOOLS 2018

Address:

Haji Pura

Pakistan.

Daska Road.

Sialkot 51310

Rimless compression pliers

Bracing pliers

- Securely braces rimless eyewear while making endpiece adjustments
- Use with temple and end piece adjusting pliers

Part No	Descriptions	
2008021	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	132MM 100 g Stainless steel Dull mate Cushion Grip handle



OPTICAL TOOLS 2018

Deblocker pliers

Briot Axcell Deblocking pliers

For easy removal of Weco, Briot or Nidex style lens blocks made of plastic or silicone, application vertical. 15mm in diameter.

Part No

Descriptions

Length: approx. 132MM
Weight: approx. 100 g
Material: Stainless steel
Finish: Dull mate
Handle: Cushion Grip handle
Movement:



Deblocking Plier for Block Hu

Deblocking Plier for Block Hub 12mm Round

Part No

Descriptions

Length: approx. 132MM
Weight: approx. 100 g
Material: Stainless steel
Finish: Dull mate
Handle: Cushion Grip handle
Movement:



Briot Axcell Deblocking pliers

Deblocking Plier for Block Hub 12mm Round

Part No

Descriptions

Length: approx. 132MM
Weight: approx. 100 g
Material: Stainless steel
Finish: Dull mate
Handle: Cushion Grip handle

Movement:



OPTICAL TOOLS 2018

PJ Pliers

Oblique Head End Cutter

The great ergonomic cutter for special approach to tight spot hinge screws.

The great cutting for all type of soft material screws.

Induction hardened edges.

Does not cut stainless steel screws

Part No	Descriptions	
2024004	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



Flat Nose with straight jaws and 1/4 inch wide tips. Grip range 0 to 5/16 inch; overall length 5 inches.

Part No	Descriptions	
2024006	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



Parallel Action Flat & Round Nose Pliers

These imported 5-1/2" long parallel pliers have one jaw that is a tapered round and the other flat. All the surfaces are smooth. The tapered round jaw tapers from 6mm to 1.6mm and is 22mm long. Maximum jaw opening is 3/8", just a little over 9mm. The jaws are 5/16" (7.5mm) wide

Part No	Descriptions	
2024002	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



OPTICAL TOOLS 2018

PJ Pliers

PARALLEL ACTION ROUND NOSE PLIERS

Jaws taper from 6.0mm to 1.5mm diameter along the jaws of 22mm length Overall size: 5.5"- 140 mm.

• Weight: 4.30oz. ~ 135g.

Part No	Descriptions	Price Ea
2024001	Length: approx. Weight: approx. Material: Finish: Handle:	\$ 6



Parallel-Holding pliers 8 mm

Length: approx. 140 mm Plastic jaws: 8 mm Weight: 135 g

Movement:

Part No	Descriptions	Price Ea
2024005	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	\$ 6.25



Parallel-Pressure Mount Plier 8 mm

Length: approx. 140 mm

With 2 plastic jaws with 8 mm width

Movement:

Weight: approx. 135 g

Part No	Descriptions	Price Ea
2024007	Length: approx. Weight: approx. Material: Finish: Handle:	\$ 6.25



OPTICAL TOOLS 2018

PJ Pliers

Rimless Post Pulling Plier

Safely disengages the bridge and temple from compression rimless lenses. Prevents lens breakage that results from the attempt to extract the post and tubing by hand.

Part No	Descriptions	
2024008	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



Narrow End Flush Cutting Plier

Cutting the excess length from rimless compression tubing is easy and safe with the 5mm wide head.Rounded jaws prevent scratching the lens. Not recommended for use on metals.

Part No	Descriptions	
2024009	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



Post pushing pliers

Easily and safly extract the post and tubing from a compression rimless lens. This simply to use tool combines tremendouspressure delicately and effortlessly applied to gently push out the post and tubing from the holes. Will not mar frames. Pins pivot easily to accommodate horizontal and vertical mounting systems.

Part No	Descriptions	
2024010	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



OPTICAL TOOLS 2018

Pro pliers

Cutter for nylon liner

Special Side Cutter for Plastic

For cutting nylon liner near a drilled hole. The narrow shape of the jaws and the filigree cutting edges reduce the risk of scratching the lenses. Not suitable to cut metal.

Part No	Descriptions	
2007087	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



Rimless Bushing Cutting Pliers

Special Front Cutter for Plastic Sleeves

For cutting plastic sleeves on frames such as "Minimal Art" from Silhouette. The narrow shape of the jaws and

the filigree cutting edges reduce the danger of scratching the lenses. Not suitable to cut metal.

Part No	Descriptions	
2007090	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



Pressing Pliers With Rotatable Jaws

Removing Pliers with Rotatable Jaws

To remove plastic sleeves from the drill holes of rimless frames such as Silhouette "Minimal Art" or similar models. Rotatable jaw with vertical and horizontal pins.

Part No	Descriptions	
2007100	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



OPTICAL TOOLS 2018

Pro pliers

Nylon Eyewir Shaper Pliers 19 mm

Nylon Eyewire Shaper 19 mm

With plastic jaws, small version.

Part No	Descriptions	
2007004	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



Holding pliers

10 mm holding pliers. Concave and convex hole 10mm nylon pads.

Part No	Descriptions	
2007094	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



OPTICAL TOOLS 2018

Assortment

Bench Block

Rubber Guard Bench Block

Rubber guard protects eyewear and countertops from damage while making frame adjustments. Screws provided for mounting. 3" long.

Part No	Descriptions	
2011007	Length: approx. Weight: approx. Material: Finish: Handle:	132MM 100 g Stainless steel Dull mate

Movement:



Scissors

Metal Snippers

With straight jaw and screwed joint

Part No	Descriptions		
2014009	Length: approx. Weight: approx. Material: Finish: Handle: Movement:		



Screw Gripper

Movement:

Gripper

Recessed both sides to pick up, grip and twist screws

Part No	Descriptions	
2010018	Length: approx. Weight: approx. Material: Finish: Handle:	



OPTICAL TOOLS 2018

Address:

Haji Pura

Pakistan.

Daska Road.

Sialkot 51310

Assortment

Third hand

Aluminium Stand "Third Hand"

- Stable stand
- With 3 exchangeable blades in the socket for securing screws or nuts
- Shaft size: 2.5 mm, blades to be clamped


Part No	Descriptions	
2011007	Length: approx.	2.5 mm
	Weight: approx.	100 g
	Material:	
	Finish:	Dull mate
	Handle:	
	Movement:	



Lense scraper

A unique tool for removing the residue resulting from edging polycarb and Trivex lenses. Curved edges help keep the scrapping blade balanced on the edge of the lens. Fine, squared tips for cleaning out the groove of nylon wire rimless.

Part No	Descriptions	
2014009	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



RUBBERISED BENCH BLOCK CLAMP

Rubber guard protects eyewear and countertops from damage while making frame adjustments.

Part No	Descriptions	
2011021	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	



OPTICAL TOOLS 2018

Address:

Haji Pura

Pakistan.

Daska Road.

Sialkot 51310

Tweezers

Nylon liner tweezers

For easy threading of the 8-profile nylon liner into the upper or lower frame wire.

Part No	Descriptions	
2011021	Length: approx. Weight: approx. Material: Finish: Handle: Movement:	

Screw Holding With Locking System

Screw holder with locking system The lock system ensures that the screw is held tightly. Recommended when fitting a screw to a spring hinge.

Length: approx. Weight: approx. Material: Finish: Handle: Movement:	
	Weight: approx. Material: Finish: Handle:

